

EAST Search History**EAST Search History (Prior Art)**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"20030116262"	USPAT	OR	OFF	2010/05/27 09:53
L2	2	"20030116262"	US-PGPUB; USPAT	OR	OFF	2010/05/27 09:53
L3	1	"03104645"	US-PGPUB; USPAT	OR	OFF	2010/05/27 10:14
L4	4	"03104645"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/27 10:15
L5	3	"20050258064"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/27 10:15
S1	2	("2003175089").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/10 14:53
S2	1	"20030175089"	US-PGPUB; USPAT	OR	OFF	2009/12/10 14:53
S3	0	"20050258064"	US-PGPUB; USPAT	OR	OFF	2009/12/10 15:02
S4	2	"20050258064"	US-PGPUB; USPAT	OR	OFF	2009/12/10 15:02
S5	1	"10587619"	US-PGPUB; USPAT	OR	OFF	2009/12/14 09:22
S6	1	"7374405".pn.	US-PGPUB; USPAT	OR	OFF	2009/12/14 09:24
S7	2	"20050258064"	US-PGPUB; USPAT	OR	OFF	2009/12/14 09:38
S8	0	"2005031431" or "2006144741"	US-PGPUB; USPAT	OR	OFF	2009/12/14 09:54
S9	4	"2005031431" or "2006144741"	US-PGPUB; USPAT	OR	OFF	2009/12/14 09:55
S10	1	"7353603".pn.	US-PGPUB; USPAT	OR	OFF	2009/12/14 09:59
S11	2	"10503192"	US-PGPUB; USPAT	OR	OFF	2009/12/14 10:16

S12	850	416/146R.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/14 10:57
S13	456	416/248.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/14 11:19
S14	22	"206".clas. and wind with (rotor or blade)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/14 11:30
S15	15	"410".clas. and wind with (rotor or blade)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/14 11:33
S16	15	"410".clas. and wind with (rotor or blade or turbine)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/14 11:33
S17	554028	wind	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/14 11:55
S18	1576262	rotor or blade or turbine	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/14 11:55
S19	11716134	transport\$5 or carr\$4 or ship\$4 or mov\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/14 11:57
S20	11961821	hand\$3 or mount\$3 or grasp\$3 or retain\$3 or install\$3 or attach\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/14 11:59
S21	12449	S17 with S18 and S19 and S20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/14 12:00

S22	538026	S18 same S19	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/14 12:01
S23	622826	S18 same S20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/14 12:01
S24	9133	S21 and S22 and S23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/14 12:01
S25	4230277	hole or penetrartion or passage	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/14 12:07
S26	123890	S18 with S25	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/14 12:07
S27	443187	S18 with S20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/14 12:08
S28	1199	S24 and S26 and S27	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/14 12:08
S29	8645253	transport\$5 or carr\$4 or ship\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/14 12:11
S30	343030	S18 same S29	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/14 12:11
S31	199290	S18 with S29	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/14 12:12

S32	680	S28 and S31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/14 12:12
S33	338	B65D085/68.ipc.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/14 12:15
S34	1884	B65D085/68.ipc.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/14 12:16
S35	0	B65D085/068.ipc.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/14 12:16
S36	8	S34 and wind with (rotor or turbine or blade)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/14 12:16
S37	2591893	S19 with S20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/14 12:26
S38	449	S32 and S37	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/14 12:27
S39	515	F03D11/00.ipc.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/14 12:40
S40	1469	F03D011/00.ipc.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/14 12:40
S41	2401	S40 and15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/14 12:42

S42	418	S40 and S19	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/14 12:42
S43	288	S40 and S29	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/14 12:42
S44	4	"2007145181"	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/14 12:57
S45	2	"20070145181"	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/14 12:57
S46	3	"3829241".pn.	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/14 13:40
S47	14	(US-20030175089-\$ or US-20060144741-\$ or US-20050031431-\$ or US-20090274529-\$ or US-20090169323-\$ or US-20080107526-\$ or US-20050258064-\$ or US-20090120830-\$ or US-20070258823-\$ or US-20070145181-\$).did. or (US-7591621-\$ or US- 7581934-\$ or US- 7374405-\$).did. or (WO- 2083523-\$).did.	US-PGPUB; USPAT; EPO	OR	OFF	2009/12/14 13:42
S48	18	("20030175089" "2674370" "3157424" "3173556" "3861531" "3966075" "3997210" "4191415" "4350254" "4526278" "5397000" "5628403" "5953928" "6276888" "6983844"). PN. OR ("7374405"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/12/14 13:43

S49	18	("20030175089" "2674370" "3157424" "3173556" "3861531" "3966075" "3997210" "4191415" "4350254" "4526278" "5397000" "5628403" "5953928" "6276888" "6983844"). PN, OR ("7374405"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/12/14 13:49
S50	16	("20040091346" "20050031431" "20060285937" "20070188895" "20070248431" "20090169323" "3837295" "4150628" "4341494" "4365919" "4844672" "5114288" "6286435" "6422795" "7210882" "7429156"). PN, OR ("7591621"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/12/14 13:50
S51	20	wind with rotor and hole with drill\$3 same mount \$3	US-PGPUB; USPAT; USOCR	OR	OFF	2009/12/14 14:16
S52	255	wind with (blade or rotor or turbine) and hole with drill\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2009/12/14 14:24
S53	1	"11790494"	US-PGPUB; USPAT; EPO	OR	OFF	2009/12/14 15:08
S54	1	2005/0031431	US-PGPUB; USPAT; EPO	OR	OFF	2009/12/14 15:45
S55	2	"20050031431"	US-PGPUB; USPAT; EPO	OR	OFF	2009/12/14 15:45
S56	3	S47 and hal\$3	US-PGPUB; USPAT; EPO	OR	OFF	2009/12/14 15:46
S57	49	(S12 or S13) and drill\$3	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/14 15:59
S58	0	("415".clas.) and drill\$3 with lightning	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/14 16:01

S59	0	("415".clas.) and drill\$3 same lightning	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/14 16:01
S60	461	("415".clas.) and drill\$3 with hole	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/14 16:01
S61	1	("415".clas.) and drill\$3 with hole and wind with (turbine and rotor or blade)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/14 16:01
S62	24	("415".clas.) and drill\$3 and wind with (turbine and rotor or blade)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/14 16:02
S63	741	Wobben.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/14 16:03
S64	5	S63 and drill\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/14 16:03
S65	39	S63 and (drill\$3 or bor \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/14 16:06
S66	9	S63 and (drill\$3 or bor \$3) with blade	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/14 16:07
S67	18	"415".clas. and wind with blade and blade with (hole) same (line or circle or visual or sign)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 16:17
S68	609	416/61.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 16:21

S69	7339	hole with (signal or indication or circle or line) and hole with blade	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 16:43
S70	713	hole with (signal or indication or circle or line) and hole with blade and blade with rotor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 16:43
S71	567	hole with (signal or indication or circle or line) and hole with blade and blade with rotor and (mount\$3 or manufactur\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 16:44
S72	100	hole with (signal or indication or circle or line) and hole with blade and blade with rotor and (mount\$3 or manufactur\$3).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 16:58
S73	0	416/244.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 17:03
S74	79	416/dig.6.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 17:06
S75	0	416/dig6.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 17:06
S76	1	"10587619"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 17:12

S77	21	(US-20030175089-\$ or US-20060144741-\$ or US-20050031431-\$ or US-20090274529-\$ or US-20090169323-\$ or US-20080107526-\$ or US-20050258064-\$ or US-20090120830-\$ or US-20070258823-\$ or US-20070145181-\$ or US-20070248431-\$ or US-20070189895-\$ or US-20040091346-\$).did. or (US-7591621-\$ or US-7581934-\$ or US-7374405-\$ or US-6983844-\$ or US-6371730-\$ or US-6623243-\$).did. or (WO-2083523-\$ or WO-2004101313-\$).did.	US-PGPUB; USPAT; EPO	OR	OFF	2009/12/14 17:16
S78	1	"20070189895"	US-PGPUB; USPAT; EPO	OR	OFF	2009/12/14 17:28
S79	1	S77 and (shell)	US-PGPUB; USPAT; EPO	OR	OFF	2009/12/14 17:30
S80	748	wind with (rotor or turbine or blade) and blade with hal\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/14 17:31
S81	118	wind with (rotor or turbine or blade) and blade with hal\$3 and shell	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/14 17:32
S82	8	reinforcing near5 hole and wind near5 (rotor or blade)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/15 06:07
S83	26	(reinforc\$3 or strengthen or build or brac\$3) near5 (hole or bore or passage) and wind near5 (rotor or blade) and (composite or layer\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/15 06:10
S84	65	(hole or bore or passage) with (rotor and blade) and wind near5 (rotor or blade) and (composite or layer \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/15 06:13

S85	9	(hole or bore or passage) with (rotor and blade) and wind near5 (rotor or blade) and (composite or layer \$3) and (hole or bore or passage) near5 (drill\$3 or bor\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/15 06:21
S86	10	(hole or bore or passage) with (rotor and blade) and wind near5 (rotor or blade or turbine) and (composite or layer\$3) and (hole or bore or passage) near5 (drill\$3 or bor\$3 or machin\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/15 06:26
S87	70	wobben.in. and (hole or bore or passage)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/15 06:26
S88	34	wobben.in. and (hole or bore or passage) with (blade or surface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/15 06:27
S89	14	wobben.in. and (hole or bore or passage) with (blade or surface) same (drill\$3 or bor\$3 or machin\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/15 06:28
S90	21	(US-20030175089-\$ or US-20060144741-\$ or US-20050031431-\$ or US-20090274529-\$ or US-20090169323-\$ or US-20080107526-\$ or US-20050258064-\$ or US-20090120830-\$ or US-20070258823-\$ or US-20070145181-\$ or US-20070248431-\$ or US-20070189895-\$ or US-20040091346-\$).did. or (US-7591621-\$ or US-7581934-\$ or US-7374405-\$ or US-6983844-\$ or US-6371730-\$ or US-6623243-\$).did. or (WO-2083523-\$ or WO-2004101313-\$).did.	US-PGPUB; USPAT; EPO	OR	OFF	2009/12/15 06:30
S91	3	S90 and (steel or glass near5 fiber)	USPAT	OR	OFF	2009/12/15 06:31

S92	7	S90 and (steel or glass near5 fiber)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/15 06:31
S93	5	wind with (turbine or blade or rotor) and lightning and hole\$1 with receptor\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/15 07:27
S94	2	"20030116262"	US-PGPUB; USPAT; EPO	OR	OFF	2009/12/15 07:48
S95	2	"20050258064"	US-PGPUB; USPAT; EPO	OR	OFF	2009/12/15 07:54
S96	3	"20050258064"	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2009/12/15 07:54
S97	3	"20050031431"	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2009/12/15 08:09
S98	9	wind with (turbine or blade or rotor) and lightning and (hole\$1 or bore\$1 or passage\$1) with receptor\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/15 08:19
S99	408	(HAARH near2 ARNE). in. or (STORGAARD near3 PEDERSEN near3 GUNNAR). in. or (ANDERSEN near2 FLEMMING).in. or vestas.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/15 08:31
S100	113	S99 and wind with (rotor or blade or turbine) and (storage or transportation or mount \$3 or transport\$3 or haul \$3 or ship\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/15 08:32
S101	21	(US-20030175089-\$ or US-20060144741-\$ or US-20050031431-\$ or US-20090274529-\$ or US-20090169323-\$ or US-20080107526-\$ or US-20050258064-\$ or US-20090120830-\$ or US-20070145181-\$ or US-20070248431-\$ or US-20070189895-\$ or US-20040091346-\$ or US-20070258823-\$).did. or (US-7591621-\$ or US-7581934-\$ or US-7374405-\$ or US-	US-PGPUB; USPAT; EPO	OR	OFF	2010/01/06 10:17

		6983844-\$ or US-6371730-\$ or US-6623243-\$).did. or (WO-2083523-\$ or WO-2004101313-\$).did.				
S102	2	S101 and container	USPAT	OR	OFF	2010/01/06 10:17
S103	10	S101 and container	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/06 10:18
S104	3	"2003100249"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/06 13:17
S105	0	(10/095700).APP.	USPAT; USOCR	OR	OFF	2010/01/07 06:49
S106	3	"2003104645"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/07 06:58
S107	4	"2003057528"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/07 06:59
S108	204	prepeg same reinforc\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/24 18:25
S109	3	prepeg same reinforc\$3 and wind and turbine	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/24 18:25
S110	0	hole and prepeg and wind and turbine	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/24 18:26
S111	907	hole and (fiber or fibre) and wind and turbine	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/24 18:26

S112	158	hole same (fiber or fibre) and wind and turbine	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/24 18:26
S113	21	hole same (fiber or fibre) and (wind and turbine).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/24 18:27
S114	2	hole same (fiber or fibre) and (wind and turbine) and pre adj preg	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/24 18:30
S115	4	hole and (fiber or fibre) and (wind and turbine) and pre adj preg	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/24 18:30
S116	7	("3734642" "4412784" "4420354" "4648921" "4915590" "6305905" "6371730").PN. OR ("7530168").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/05/24 18:31
S117	322	hole same (reinforc\$5 or strength\$5 or thick\$5) and (wind and turbine) and (fiber or fiber or epoxy or resin)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/24 18:33
S118	55	hole with (reinforc\$5 or strength\$5 or thick\$5) and (wind and turbine) and (fiber or fiber or epoxy or resin)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/24 18:33
S119	6	hole with (reinforc\$5 or strength\$5 or thick\$5) with (fiber or fiber or epoxy or resin) and (wind same turbine)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/25 09:36
S122	10647105	applying or applied or applies or add\$3 or reinforcing or reinforcement or reinforces or reinforced	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/25 10:18

S123	16604	(applying or applied or applies or add\$3 or reinforcing or reinforcement or reinforces or reinforced) same (layers or thickness or coating or cover) same (fiber or epoxy or carbon or composite) same (bolt or hole or screw)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/25 10:20
S124	11	S123 and wind with turbine	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/25 10:20
S125	18	S123 and wind same turbine	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/25 10:23
S126	13546	(applying or applied or applies or add\$3 or reinforcing or reinforcement or reinforces or reinforced) with (bolt or hole or screw) and (layers or thickness or coating or cover) with (fiber or epoxy or carbon or composite)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/25 10:26
S127	2163	(applying or applied or applies or add\$3 or reinforcing or reinforcement or reinforces or reinforced) with (bolt or hole or screw) and (bolt or hole or screw) with (layers or thickness or coating or cover) with (fiber or epoxy or carbon or composite)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/25 10:27
S128	610	S127 and method with manufactur\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/25 10:28
S129	18	S128 and turbine	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/25 10:28

S130	1403	416/146R,248,dig.6. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/25 10:33
S131	1726	gamesa.as. or nordex. as. or wobben.in. or vestas.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/25 10:52
S132	18	S131 and hole and (epoxy or resin or fiber)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/25 10:53
S133	20216	blade with (beam or rib)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/25 11:48
S134	22	(US-20030175089-\$ or US-20060144741-\$ or US-20050031431-\$ or US-20090274529-\$ or US-20090169323-\$ or US-20080107526-\$ or US-20050258064-\$ or US-20090120830-\$ or US-20070145181-\$ or US-20070248431-\$ or US-20070189895-\$ or US-20040091346-\$ or US-20070258823-\$).did. or (US-7591621-\$ or US- 7581934-\$ or US- 7374405-\$ or US- 6983844-\$ or US- 6371730-\$ or US- 6623243-\$).did. or (WO- 2083523-\$ or WO- 2004101313-\$).did. or (WO-03100249-\$).did.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2010/05/25 11:48
S135	36	(US-20030175089-\$ or US-20060144741-\$ or US-20050031431-\$ or US-20090274529-\$ or US-20090169323-\$ or US-20080107526-\$ or US-20050258064-\$ or US-20090120830-\$ or US-20070145181-\$ or US-20070248431-\$ or US-20070189895-\$ or US-20040091346-\$ or S134 and US- 20070258823-\$).did. or	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/25 11:48

		(US-7591621-\$ or US-7581934-\$ or US-7374405-\$ or US-6983844-\$ or US-6371730-\$ or US-6623243-\$).did. or (WO-2083523-\$ or WO-2004101313-\$).did. or (WO-03100249-\$).did.				
S136	1	S129 and blade with (beam or rib)	US-PGPUB; USPAT; USOCR; FFPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/25 11:49
S137	587	416/226.ccls.	US-PGPUB; USPAT; USOCR; FFPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/25 11:52
S138	3	"20030116262"	US-PGPUB; USPAT; USOCR; FFPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/25 12:19
S139	5	"2005031431"	US-PGPUB; USPAT; USOCR; FFPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/25 12:25
S140	3	"20050031431"	US-PGPUB; USPAT; USOCR; FFPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/25 12:25

EAST Search History (Interference)

< This search history is empty>

5/ 27/ 2010 10:37:19 AM

C:\Documents and Settings\jprager\My Documents\EAST\Workspaces\10587619_wind_turbine_carrying_bolt_through_hole.wsp